


WHEEL BRITE APPLICATOR, MODEL WBA1A

The AVW Wheel Brite Applicator features stainless steel applicator for wheel cleaning.

- *Stainless Steel chemical injection pump panel*
 - *Computer or treadle control*
 - *Minimal space requirements*
 - *Clean Design*
 - *Air foaming option*




WHEEL BRITE APPLICATOR, MODEL WBA1A



Space Requirement



WHEEL BRITE APPLICATOR, MODEL WBA1A



ITEM	Description	PART NUMBER	QTY.
1	TREE w/FOAMING PADE (In side the Pipe)	WBA1AA	1
2	BASE w/BUNA - N O-RING	WBA1AB WBA1AB-OR	1 1
3	SCREW FESTENER SET • HEX HEAD CAP SCREW 1/4"- 20 x 1" LG • SPLIT LOCK WASHER 1/4" • HEX NUT 1/4" - 20	HHCS1420100 SLW14 HN1420	4 4 4 4
4a	AIR INLET —90° STREET ELBOW 1/4" NPT - BRASS	EL90-S-BR025	1
4b	CHEMICAL INLET —90° STREET ELBOW 1/4" NPT—BRASS	EL90-S-BR025	1
5.	AIR PUSH FITTING 1/4"	APF3814	2
6	ELBOW , STAINLESS STEEL	SAE140239-4-4	2
7	CHECK VALVE 1/4"	14-SLCV-PPBLK	4
8	PVDF NOZZLE 1/4"	NZ14	2

